

LiSi PURE

Micro Layering Glaze & Bond for Zirconium Oxide

Maximum safety and esthetics for ceramics

- Perfect brilliance without polishing
- Guaranteed no chipping

elaboro

Premium Quality Made in Germany

ITHIUM SILICATE MICRO LAYERING GLAZE & CONNECT FOR ZIRCONIA

Trans zurb

Encli Druk

Vorial Flam ferma SND

oderi Vorši Teme in dek uncla

Trais forsu USEA

Flam burst other surial source after to ter out of nose 000d52 10

DALY 3 CLICKS

PURE

LITHIUMSILICAT DÜNNSCHICHTVERBLENDUNG FÜR ZIRKONOXID

For all indications and sizes

Available as Spray or Pen It doesn't get any better!

LISI PURE

LITHIUM SILICATE FOR ZIRCONIA MICRO LAYERING GLAZE & BOND

Innovation for Zirconium Oxide Restorations

elaboro[®] **LiSi Pure** is an innovative lithium silicate glass coating specially designed for the micro-layering of zirconium oxide. During ceramic firing, a transparent, amorphous lithium silicate glass surface is formed, which creates a natural translucency, exceptional color brilliance and at the same time a very high bond strength.

			· Alter	
alabar	o LiSi ^{PURE}		and the second	
erabon	- LISP ORE	for the	18 810	
Zirkond	the ser			
	the ser			

Researchers at **Fraunhofer IKTS** have developed the basis for elaboro lithium silicate surface finishes.

At temperatures of 920°C, thermochemical surface diffusion creates a permanent material bond between lithium silicate and zirconium oxide. The surface is completely vitrified and is smooth, non-porous and non-abrasive.

elaboro® LiSi PURE

Apply - Burn - Done

Problems with conventional glazes

- Poor bond strength
- Rough and abrasive porous surfaces
- Matting or gray haze
- Blowholes and bubbles
- Ceramic wear and cracks
- Chipping (ceramic flaking)
- Plaque affinity
- Poor long-term prognosis



Warum elaboro® LiSi PURE

1. Guaranteed chipping- proof:

The risk of ceramic chipping is virtually eliminated thanks to the exceptionally high bond strength. Perfect surface: Smooth, completely free of pores and cavities, non-abrasive and permanently high-gloss.

2.Perfect surface:

Smooth, completely free of pores and cavities, non-abrasive and permanently high-gloss.

3.Optimized aesthetics:

Individuelle Anpassung Farbwirkung durch Malfarben möglich.

4. Excellent biocompatibility:

Extremely chemically and physically resistant, no allergy potential.

5. Efficient application:

Requires no special preparation, no reworking. Available as a classic spray or as a new dosing stick for the staining technique.

Simply apply a thin layer - fire at 920°C - finished.

elaboro® LiSi PURE

Simple - Secure - Sustair

elaboro® LiSi PURE - Considerably better oral hygiene

Patients confirm:

- Significantly improved oral hygiene, extremely easy to clean.
- No allergic reactions, no temperature sensitivity
- Neutral taste, natural chewing sensation, more pleasant mouthfeel
- No discoloration, natural appearance, no chipping
- Good self-esteem thanks to a new natural smile.



PURE

NLY 3 CLICKS

LOT 25P000



NEW! order now at www.zirkonshop.de

Easy Application

Apply a thin layer
Fire at 920°C
Done



© 2025 Elaboro GmbH Hagenower Str. 73 | 19061 Schwerin | Germany tel.: +49 385 3993300 | fax: +49 385 3993302 e-mail: info@elaboro.de | web: www.elaboro.de

